



2025 PRODUCT CATALOGUE.

WELCOME TO **Gel-Clear.**

Driven by Innovation, Backed by Evidence.

At Gel-clear, we offer a comprehensive range of solutions for maintaining your HVACR drains, including our award-winning stress relief tablets, condensate pumps, ancillaries, maintenance products, and tools.

Our commitment to innovation is supported by technical expertise and thorough research, ensuring we deliver outstanding products along with exceptional service and on-site support.

You can easily order our products by phone or through our website.

01254 760002

www.gel-clear.co.uk

CONTENTS

Tablets

5

Pumps

9

Drainage

21

Cleaning / Chemicals

27

Tools

35

WHO IS Gel-Clear?

Gel-clear was founded out of necessity, with a mission to address costly drainage issues in food retail refrigeration maintenance. Since our inception in 2012, we have rapidly grown by delivering evidence-based efficiency solutions.

Our research led to a patented solution for biofilms in nuclear bunker drinking water tanks. Partnering with a development team, we transformed this solution into tablet form, which won a RAC Cooling award in 2016.

Building on this success, we designed and developed a comprehensive range of products manufactured in the UK to support condensate drainage. This includes various cleaning and disinfecting tools. Collaborating with the UCLAN Innovation Clinic, we created the Bio-Beta drainage supports and condensate pump drain connector.

As our product portfolio expanded, so did our collection of industry accolades. Over the past eight years, we have received multiple awards, including the Hive Innovation Award, a Highly Commended recognition in both the Cooling Business of the Year and the Cooling Awards, and the 2020 ACR News Awards for Maintenance Product of the Year—totaling six industry awards.

Explore our full range of solutions in our catalogue. If you're interested in a free trial of any of our products, please don't hesitate to reach out, and we'll arrange it with ease.



We've categorised all our products into **5 easy sections** to help you locate what you need. Each product has also been marked for compatibility with the following:




Refrigeration



Air Conditioning



Pumps



SHOP
Tablets.



QP34

1 Year Condensate Drain Tablet

£16.79

Effective for 12 months, the QP34 tablet stops condensate drain blockages, preventing cabinet water leaks, reducing risks, maintenance costs and improving efficiency.



Single Tablet | 45 grams

140 x 80 x 20 mm



QP34-10



One Year Refrigeration Drain Tablets 10 Pk

£167.89

Effective for 12 months, the QP34 tablet prevents condensate drain blockages, stops cabinet water leaks, reduces risks, lowers maintenance costs, and improves efficiency. The tablet dissolves slowly, coating all drains with a protective 'Gel-clear' layer that prevents biofilm formation at its earliest stage.

Gel-clear is safe to use with all condensate pumps and is NSF registered for use in chilled food display cabinets.

10 tablets | 318 grams

50 x 80 x 230 mm

FC22



Fan Coil Tablet

£8.38

For fan coil units, Gel-clear condensate drain tablets provide 12 months of protection by preventing water leaks, reducing risks, and lowering both maintenance and operating costs. Placing one tablet in the condensate pan below the coil ensures protection from blocked drains for at least one year. The tablet coats the drains with a protective film, preventing condensate pump failure. Gel-clear is approved by both Sauermann and EVAC.

Single tablet | 38 grams

140 x 80 x 20 mm

QP24-10



6 Month Refrigeration Drain Tablets 10 Pk

£89.99

Gel-clear tablets provide reliable protection against biofilm development in your drainage system. Simply place one tablet in the condensate pan, ensuring it stays in contact with the water but away from the drain outlet, to keep your drains clear. Gel-clear tablets are 100% water-soluble and completely biodegradable. They are also NSF-approved, making them safe for use in food preparation areas. The tablets effectively control and prevent biofilm formation, reducing the risk of water leaks and bacterial growth.

10 tablets | 250grams

50 x 80 x 230 mm

AC-03



6 Pack Micro-Tabs

£8.38

Gel-clear Micro-tabs are designed for residential split systems and tank pumps, preventing biofilm blockages and improving efficiency. Effective for 6 months, Micro-tabs stop water leaks, reduce risks, and lower both maintenance and operating costs. Approved by the world's largest condensate pump manufacturers, Gel-clear leaves a protective coating on all drains and the pump, shielding the pump from biofouling—the leading cause of pump failure.

6 Tablets | 33 grams

140 x 80 x 15 mm

TPT25



Tank Pump Tablets

£29.99

Gel-clear provides effective protection against condensate drain blockages and biofilm buildup in drainage systems. Placing one tablet in the unit's condensate pan or tank pump will keep drains clear. Gel-clear is approved as pump-safe by all major manufacturers, 100% biodegradable, and non-toxic to aquatic life. NSF-approved for use in food preparation areas, it controls and prevents biofilms that cause odours and bacteria, ensuring a cleaner unit with no unpleasant smells.

25 Tablets | 84 grams

220 x 130 x 20 mm

TGS-18



HVAC Air Freshener

£8.38

Effective for 6 months, Gel-clear Green condensate drain strips combine air freshening with a natural solution to blocked condensate case drains. They prevent biofilm buildup and foul odours in the drain pan. Gel-clear Green is safe and easy to use, providing a fresh, pleasant fragrance throughout its entire lifespan. The strips are 100% water-soluble and safe for use with all types of condensate pumps, without damaging sensitive components.

Single Unit Per Pack | 18 grams

150 x 100 x 5 mm

CE30



EVAP-TAB

£8.38

Condensate evaporators: Placing one tablet in the condensate pan prevents biofilm formation in the pan and pipework, eliminating slime, foul odours, and maintaining sanitary conditions. EVAP-TABS are safe and non-corrosive to copper, aluminum, stainless steel, and galvanized steel. Using a natural biocide, these tablets are safe for evaporation into the atmosphere and suitable for all types of refrigeration units.

Single Tablet | 50 grams

25 x 80 x 140mm

AHU-60



Cold Room Tablet

£26.24

Gel-clear cold room unit condensate drain tablets are approved as pump-safe by all major manufacturers and are safe for use in food preparation areas. Cold room evaporator units benefit from this simple, effective solution to keep condensate drains functioning properly. Effective for 12 months, Gel-clear tablets prevent water leaks in back-of-house areas, reducing risks for forklifts, operatives and pallet trucks. Gel-clear enhances operational efficiency across the cold chain.

Single Tablet | 80 grams

SHOP Pumps.

We offer a selection of pumps designed for use in HVACR systems, to help you find the perfect fit for your needs. Additionally, we provide a variety of accessories and bundles to complement your setup.



TP-1L

Gel-Clear 1 Litre Tank Pump

£62.50  

The Gel-clear TP-1L automatic pump is a reliable solution for long-lasting performance and peace of mind. Space, cost, and reliability are often critical concerns, and this Gel-clear tank pump addresses them effectively.

Ideal for cassette air conditioning and refrigeration units, the TP-1L fully automatic condensate pump is designed to efficiently remove condensate fluid from your air conditioner, evaporator coil, or oil/gas condensing boiler. Constructed from durable ABS plastic, this pump resists corrosion and impact for extended use. It features a low-noise, ball-bearing motor and a check valve to prevent backflow, ensuring reliable and efficient operation.

The TP-1L model also includes an overflow safety alarm switch for added security. Installation is straightforward, and the pump can be mounted level with the inlet positioned below the lowest drain.

- Specifications:
- High discharge head: 6 metres
 - 300ml drain cycle
 - Super quiet operation
 - Includes 3/8" & 1/4" check valves
 - Maximum flow: 270 lph
 - Tank capacity: 0.8 litres
 - Noise level: 43 dB(A)
 - Pressure: 9.8 PSI
 - Power: 75 Watts
 - Current: 0.64 amps

Pump | 1950 grams

150 x 150 x 120 mm



TP-2L

Gel-Clear 2 Litre Tank Pump

£79.00  

The Gel-clear TP-2L is a robust and versatile 2-litre tank pump designed for efficient condensate water removal. This pump effectively moves condensation from your HVAC equipment, making it ideal for directing the flow of condensation produced by evaporator units, refrigeration cabinets, and air conditioning systems—especially when gravity drainage is not feasible. Its state-of-the-art vertical design allows it to fit in tight spaces, requiring a smaller footprint.

Key Features:

- Vertical centrifugal pump design
- 2 litre collection tank
- Stainless steel motor shaft
- Automatic start and stop operation
- High-level water detection (overflow detection switch)
- 3/8" O.D. barbed discharge adapter with built-in check valve
- Three 1-1/8" diameter inlet openings (two fitted with removable cap plugs)
- Thermally protected, fan-cooled motor
- Built-in wall mount tabs on the tank
- Removable pump float locking tab for safety during transportation (to be removed at installation)
- Maximum water temperature: 140 °F
- 2-metre, 3-conductor cable with a grounded 3-prong plug

Pump | 2050 grams

170 x 320 x 210 mm



UCP110v2

Convenience Retail Dairy Cabinet Pump

£239.50  

Introducing the Gel-clear UCP110v2 Dairy Cabinet Pump—a specially designed stainless steel condensate pump for supermarket refrigerated display cabinets. At just 60mm, it's the lowest cabinet pump on the market, making it the perfect fit for low-profile cabinets. It's compact design allows for easy installation and ample space for servicing. The pump comes with a flexible connector that enables it to swing out from under the cabinet for inspection while remaining fully connected to the drains.

This space-saving pump is also energy efficient, with a low power consumption of just 37W. It features a high-level alarm terminal, a tank connector, and a flexible 1¼" connector that can easily adapt to a ½" pipe.

The UCP110v2 offers multiple inlet options (top or end), a ½" hose tail. With intelligent overload protection and a built-in non-return valve, it provides a reliable and long-lasting solution for handling condensate from supermarket refrigerated display cabinets. The pump has a rate of 110 lph and a pumping head of 30 meters.

Additionally, the UCP110v2 is UK-manufactured and CE certified, ensuring quality and safety. Everything needed for installation is included in the box, giving you peace of mind with your purchase from a trusted and reliable condensate pump manufacturer.

All-in-One Installation Kit: Our condensate pumps come complete with a full installation and testing kit, saving you time and effort. No more hunting for individual components—we've got you covered!

Enhanced Leak Detection: We provide drain testing dye to detect even the tiniest water leaks, ensuring watertight installations and preventing potential headaches down the road.

Silicone Grease Sachet: Applying seals is easier than ever with our silicone grease sachet, facilitating smooth and effective seal application for longer-lasting installations.

Future-Proof Flexibility: Our flexible drain connector simplifies maintenance and makes servicing more efficient and hassle-free. Your clients will appreciate this thoughtful approach to long-term convenience.

Biofilm Protection: The pump comes with a one year condensate drain tablet for the prevention of biofilm buildup

Pump & Connector | 3200 grams 240 x 620 x 70 mm



UCP110v2 kit

Convenience Retail Dairy Cabinet Pump Drainage Kit

£299.00  

For convenience retail applications we offer a complete drainage kit in a box for up to three display cabinets. Only 60mm high, the low-profile, stainless steel UCP110v2 is a robust and reliable choice for low-profile refrigeration cabinets, making it ideal for convenience retail. With a low power consumption of just 37W, it's an efficient solution.

- The Kit Includes:
- 1 x Drainage Pump (UCP110v2)
 - 6 x Condensate Drain Supports (APC19)
 - 1 x Header Drain Connector (CPH17)
 - 3 x One-Year Condensate Drain Tablets (QP34)
 - 2 x Pipe Clamps
 - 1 x Discharge Hose Line (H20CH)
 - 1 x Flexible Connector (300mm)
 - 1 x Spigot Outlet

Condensate pumps are often used as alternatives to gravity drainage; however, they still depend on gravity to function. When condensate drains are laid flat on the floor, they lie below the pump's float switch. As the pump fills with wastewater, so do the drains—approximately 1.2 litres for every metre of flat drain. This additional load can exceed the pump's design capacity, causing a 2-3 litre drain cycle to balloon into a 12-16 litre cycle, ultimately reducing the pump's lifespan.

The complete pump kit ensures compliance with BSEN12056 standards. The discharge drain connector features it's own air intake valve, preventing pipe kinks and backwash leaks from the discharge connection, while providing an easy-to-use, industry-standard fitting.

The condensate drain supports ensure that gravity drains leading into the pump meet regulatory requirements, providing the necessary 19mm per metre slope to maintain self-cleaning velocity and keep the pump's drain cycle within it's designed limits. The kit has received three industry awards for its products and was highly commended by the judges of the RAC Cooling Awards for improving efficiency in food retail condensate wastewater management.

Pump Drainage Kit | 6150 grams 2400 x 6300 x 1700 mm



UCP700

Supermarket Dairy Cabinet Pump

£385.00 R P

The Gel-clear UCP700 supermarket pump is a high-performance, low-profile, stainless steel condensate pump designed for refrigeration cabinets. Its robust stainless steel construction offers reliability and class-leading performance. With a height of just 76mm, it fits beneath the lowest-profile cabinets on the market, pumping up to 700 litres per hour with a 23-metre head—outperforming and outlasting its competitors.

All-in-One Installation Kit
Our condensate pumps come complete with a full installation and testing kit, providing everything you need for a seamless setup. Save time and effort with no need to hunt for individual components—we've got you covered!

Enhanced Leak Detection
We supply drain testing dye to detect even the smallest water leaks, ensuring your installations are watertight. This attention to detail can prevent potential headaches and help maintain the integrity of your systems.

Silicone Grease Sachet
Applying seals has never been easier! Our silicone grease sachet facilitates smooth and effective seal application, enhancing the longevity of your installations.

Future-Proof Flexibility
Our flexible drain connector simplifies future servicing, making maintenance more efficient and hassle-free. Your clients will appreciate this thoughtful approach to long-term convenience.

Compliance and Expertise
Gel-clear is committed to upholding drainage industry standards. Our drainage arrangement instructions ensure that your installations meet the highest quality benchmarks.

Biofilm Protection
The pump comes with a one year condensate drain tablet for the prevention of biofilm buildup.

- What's in the Box?**
- 1 x Flexible Connector (500mm)
 - 1 x UV Drain Testing Dye
 - 1 x Tank Connector (pump to flexi)
 - 1 x 40mm Test Bung
 - 1 x Discharge Hose Clip
 - 1 x One-Year Gel-Clear Condensate Drain Tablet (QP34)

- Key Features:**
- Ideal for low-profile cabinets
 - Only 76mm high—fits under even the lowest display cabinets
 - Multiple inlet options (top, end, or side)
 - Power and alarm cables pre-fitted
 - High discharge rate: 700 LPH
 - High lift: 23 metres
 - IP 44 rated
 - 1-year warranty

Pump & Connector 5000 grams 260 x 620 x 90 mm



BB-UCP700

Supermarket Dairy Cabinet Pump Kit

£519.00 R P

At only 76mm high, the low-profile, stainless steel construction of the UCP700 is a robust and reliable choice for refrigeration cabinets. Supplied as a complete kit, it ensures installation compliance with legal requirements (BSEN12056).

- The Kit Includes:**
- 1 x Drainage Pump (UCP700)
 - 12 x Condensate Drain Supports (APC19)
 - 1 x Header Drain Connector (CPH17)
 - 6 x One-Year Condensate Drain Tablets (QP34)
 - 2 x Pipe Clamps
 - 1 x Discharge Hose Line (CDH15)
 - 1 x Flexible Connector (500mm)
 - 1 x Spigot Outlet

Studies have shown that most condensate pump failures are not due to the pump's physical capabilities, but rather to installation and operational issues. The three main causes of pump failure are biofilm blockage, discharge line kinks or blocks, and overloaded drain cycles.

The Bio-Beta Pump Kit addresses all of these issues. It is a complete installation package that includes the BB-UCP700 condensate pump, which comes with a 3-year warranty when used as part of the system.

- Key Features:**
- UK manufactured and CE certified
 - 500mm flexible connector for easy swing-out servicing
 - 15m discharge hose
 - Discharge drain connector (CPH17) to prevent pipe kinks and backwash leaks
 - Condensate drain support twin pack (APC19) for EN12056 compliant installation

This system has proven to reduce condensate pump failure rates by over 90%, increasing the pump's lifecycle and reducing operating costs. The complete pump kit ensures compliance with BSEN12056 standards, featuring a discharge drain connector with its own air intake valve to prevent kinks and backwash leaks.

- Specifications:**
- Ideal for up to 6 cabinets
 - Only 76mm high—fits under even the lowest display cabinets
 - Multiple inlet options (top, end, or side)
 - Power and alarm cables pre-fitted
 - High discharge rate: 700 LPH
 - High lift: 23 metres
 - IP 44 rated

Pump Drainage Kit 9800 grams 180 x 700 x 310 mm



CSP700

Vertical Cold Room Condensate Pump

£395.00 R P

The tough, stainless steel construction of the Gel-clear CSP700 makes it ideal for removing condensate water from cold rooms. Mounted on a cold room wall, this pump can withstand bumps and knocks from stock traffic in back-of-house areas while remaining accessible for service and maintenance.

The CSP700 is a high-performance condensate pump, a reliable choice for walk-in cold rooms and freezers, boasting class-leading specifications. It is wall-mounted and fixes securely with two side-mounted lugs, capable of pumping up to 700 litres per hour with a 23-metre head, outperforming and outlasting its competitors.

All-in-One Installation Kit

Our condensate pumps come complete with a full installation and testing kit, providing everything you need for a seamless setup process. Save time and effort—no more hunting for individual components; we've got you covered!

Enhanced Leak Detection

We provide drain testing dye to detect even the smallest water leaks, ensuring your installations are watertight. This attention to detail can prevent potential headaches and help maintain the integrity of your systems.

Silicone Grease Sachet

Applying seals has never been easier! Our silicone grease sachet facilitates smooth and effective seal application, enhancing the longevity of your installations.

Biofilm Protection

The pump is supplied with a one-year condensate drain tablet to prevent biofilm buildup.

Key Features:

- Ideal for cold rooms in supermarkets and convenience stores
- Robust, impact-resistant stainless steel construction
- Serves up to 6 evaporator units
- ½" barbed hose tail
- Multiple inlet options (top or side)
- Power and alarm cables pre-fitted
- High discharge rate: 700 LPH
- High lift: 23 metres
- IP 44 rated sealed electric box
- 2-year warranty

The CSP700 also offers an optional failsafe arrangement, featuring an overflow reservoir in the event of pump failure, allowing for up to 24 hours of water collection without leaking onto the floor. Contact us for more details!

Pump | 5050 grams

260 x 620 x 90 mm



UCP700R

Remanufactured Supermarket Dairy Cabinet Pump

£229.00 R P

The fully factory remanufactured Gel-clear UCP700 supermarket pump is a high-performance, low-profile, stainless steel condensate pump designed for refrigeration cabinets. It makes it a reliable choice, with class-leading specifications.

With a height of just 76mm, the UCP700R fits beneath even the lowest-profile cabinets on the market, capable of pumping up to 700 litres per hour with a 23-metre head, outperforming and outlasting its competitors.

Compliance and Expertise

Gel-clear is committed to upholding drainage industry standards. Our drainage arrangement instructions ensure that your installations meet the highest quality benchmarks.

Biofilm Protection

The pump is supplied with a one-year condensate drain tablet to prevent biofilm buildup, giving you added peace of mind. The factory refurbished dairy cabinet pump also comes with a 12-month manufacturer's warranty.

Key Features:

- Ideal for low-profile cabinets
- Only 76mm high—fits under even the lowest display cabinets
- Multiple inlet options (top, end, or side)
- Power and alarm cables pre-fitted
- High discharge rate: 700 LPH
- High lift: 23 metres
- IP 44 rated
- 1-year warranty

Specifications:

- Weight: 5050 grams
- Dimensions: 260 x 620 x 90 mm
- UK manufactured and CE certified

Pump | 5050 grams

620 x 620 x 90 mm



H20CH

Gel-Clear 'Helix' Condensate Hose**£25.99** R A P

Introducing the Gel-clear '25 Year' Hose

The failsafe discharge hose for any type of condensate pump installation! This heavy-duty ½" PVC hose features steel wire reinforcement, making it impossible to kink, flatten, or compress in a way that restricts pump flow during normal use. Plus, it won't degrade over its lifetime!

Perfect for cabinet dairy pumps installed beneath cabinets—where push and pull can kink the hose—or above ceilings, where bends and turns may cause pinch points, this hose can be tightly zip-tied without crushing. With our no-quibble 25-year warranty, you can trust the integrity of your installation for years to come!

3500 grams

360 × 360 × 110 mm



BDH30

Economy 3/8 Hose**£19.99** R A P

3/8" (10mm) Clear Braided PVC Hose

This 30-metre coil of polyester-reinforced PVC hose is ideal for draining air conditioning and refrigeration condensate. The size refers to the internal diameter. Packaged in clear shrink wrap for protection and easy storage, the transparent tubing provides full visibility of the flow, while its smooth interior reduces sediment accumulation. It's a flexible and versatile value hose.

3000 grams

300 × 300 × 110 mm



FS700

Float Switch**£9.00** R A P

Water Level Sensor

A device designed to detect the liquid level within the condensate pump. This switch can control the pump or activate a high-level alarm. Suitable for the UCP700 supermarket condensate pump and most stainless steel condensate pumps, it features a compact, horizontally mounted design that can be configured as either a normally-open or normally-closed switch by simply rotating it 180°. When the water level reaches the float, it activates an internal magnet, triggering a sealed reed relay. The sensor comes pre-wired with flying output leads.

300 grams

150 × 30 × 30 mm



NRV12

Non Return Valve**£7.75** P

Single Check Valve - ¼" BSP

This brass, spring-loaded single check valve features a pressure rating of 16 Bar. Measuring 45 mm in length with a diameter of 30 mm, it is made of high-quality brass for durability and long-term use. Its excellent resistance to corrosion and oxidation ensures reliable performance, while its good sealing capability prevents fluid leakage.

Specifications:

- Material: Brass, Stainless Steel Thread size: 1/4" BSP
- Colour: Gold
- Working temperature: -10 ~ 120 deg

3000 grams

30 × 30 × 40 mm

In 2022, we began selling condensate pumps and saw massive growth in sales, driven by the market-leading performance of the UCP700 refrigeration cabinet condensate pump. This pump has been a standout product for its reliability and efficiency, and we continue to see strong demand for it across the industry.



We haven't stopped innovating. This October, we are excited to launch two new products: our corrosion-resistant condensate evaporator for integral units, and the second generation of our UCP110 convenience retail condensate pump, which features enhanced performance and usability.

Looking ahead, we have some exciting new-to-market developments planned for 2025 and are eager to continue driving growth through innovation.

OUR MISSION IS CLEAR

To provide evidence-based efficiency solutions that help our customers achieve broader cost savings while reducing operational risks.

We are proud to be at the forefront of HVACR drainage technology, delivering groundbreaking solutions from the connoisseurs of condensate.



SHOP Drainage.



WSI2W

Biocote® Antibac Drain Pipe 40mm

£9.99 R A P

This pipe features Biocote®, a product that has been independently proven to reduce microbes. The benefits of this include:

- Extended Lifetime: Enhances the durability of products.
- Reduced Odours and Blockages: Helps maintain clear and fresh lines.
- Increased Hygiene: Provides a more sanitary solution.
- Biocote® protected Polypipe products are backed by regular and rigorous quality control testing, supported by both laboratory and real-world data.

950 grams

3000 x 45 x 45 mm



WSI1W

Biocote® Antibac Drain Pipe 32mm

£8.79 R A P

This pipe features Biocote®, a product that has been independently proven to reduce microbes. The benefits of this include:

- Extended Lifetime: Enhances the durability of products.
- Reduced Odours and Blockages: Helps maintain clear and fresh lines.
- Increased Hygiene: Provides a more sanitary solution.
- Biocote® protected Polypipe products are backed by regular and rigorous quality control testing, supported by both laboratory and real-world data.

760 grams

3000 x 37 x 37 mm



FC40

1 1/2 Flexible Connector

£9.79 P

500mm long flexible connector.

- 40mm solvent weld to 1 1/2 compression coupling.
- Suitable for condensate dairy pump connection to case drains, allowing the pump to swing out from beneath the cabinet to allow servicing while still connected.
- Makes service and maintenance simpler with no need for disconnection and water on the floor.

150 grams

50 x 50 x 520 mm



FC32

1 1/4 Flexible Connector

£8.97 P

500mm long flexible connector.

- 32mm solvent weld to 1 1/4 compression coupling.
- Suitable for condensate dairy pump connection to case drains, allowing the pump to swing out from beneath the cabinet to allow servicing while still connected.
- Makes service and maintenance simpler with no need for disconnection and water on the floor.

150 grams

50 x 50 x 510 mm



CPH17

Dairy Pump Drain Connector

£8.99   

Condensate pumps for refrigeration cabinets function exceptionally well when installed correctly. However, a common challenge arises with the connection between the pump discharge line and the drainage system.

Ironically, the second leading cause of condensate pump failure is discharge hose kinking. The discharge hose typically connects at a high level to a header drain above the ceiling tiles, often requiring a 180-degree turn before dropping into an open pipe. This open connection is also susceptible to leaks caused by "backwash," which occurs when the pump discharges under pressure into a gravity drain, creating a kinetic wave that pushes water back down the drain pipe.

Both of these issues are effectively addressed with the Gel-clear drain connector. This innovative connector seals the connection and aligns the hose vertically in a straight line, completely eliminating the risk of kinking.

The Gel-clear header drain connector exemplifies how necessity drives innovation—solving a problem related to a small but crucial element: the drainage connection. Traditionally, connecting the display case outlet to the drain involves running a section of hose to the header drain, doubling it over, and inserting it into an open connection on a T junction. This flexible hose is prone to kinking, which can ultimately lead to pump burnout.

Developed in collaboration with the University of Central Lancashire Innovation Clinic and manufactured in the North West of England, the Gel-clear header drain connector is specifically designed to prevent these issues. The plastic connector ensures a sealed connection to the hose, preventing any backwash leaks and ensuring that the hose runs vertically without kinks. Additionally, it features an integral air inlet valve to maintain air pressure balance in compliance with building regulations and British Standard EN12056.

Conceived, designed, and manufactured in Lancashire, England, the Gel-clear header drain connector represents a practical solution to a common problem.

52 grams

210 x 110 x 50 mm



APC19

Condensate Drain Support Twin Pk

£8.99   

Winner of Maintenance Product of the Year at the ACR News Awards 2020

Refrigeration cabinet drains are often installed flat to the floor, which poses a significant challenge. All gravity drains require a minimum slope of 1.8% to achieve the necessary flow rate of 0.6 meters per second needed to keep them clean.

Blocked condensate drains can have a substantial trickle-down cost impact on refrigeration systems, leading to fan motor damage, increased use of absorbent strips, slip claims, and more.

The Bio-Beta pipe support is designed for easy retrofitting of existing drains, allowing for quick installation without interrupting cabinet function. We've developed a range of components to tackle common drainage issues—ranging from blockages to pump burnout and leaks. These products were designed by drainage specialists who understand the real problems and where they occur. When we found no suitable solutions available, we decided to create them ourselves.

The pipe support exemplifies this approach. A frequent issue with cabinet condensate drains is their flat installation, which significantly contributes to blockages. Drains need to maintain a flow to stay clean; without a slope, sediment settles and eventually causes blockages. Condensate pumps can suffer similarly if they lack a continuous flow of water.

A recent study revealed that over 90% of condensate drain blockages in food retail environments occurred in drains installed flat to the floor.

Gel-clear's plastic pipe supports are elegantly simple; they slide under the drain to create an optimal angle of approximately 2 degrees. (It's worth noting that the EN12056 standard requires indoor gravity drains to have a minimum slope of 1.9 degrees.) The beauty of Bio-Beta supports is that they can be installed without removing anything from service.

At just £8.99 for two, the use of these supports can dramatically improve drain efficiency, help prevent spillages due to blockages, and ensure compliance with EN12056 standards—thereby reducing liability in the event of a slip or trip claim. They can pay for themselves many times over.

Twin Pack | 102 grams

260 x 150 x 50 mm



SWR4032

40>32mm Solvent Weld Reducer**£2.22** P

Made from white ABS plastic, this product provides a permanent connection when welded, creating a homogeneous system. It is BBA-approved, meets BS EN 1455-1 standards, and comes with a 1-year warranty.

Apply solvent cement evenly to both joint surfaces, fully insert the pipe into the socket, and wipe away any excess cement with a cloth. Allow five minutes for the joint to set before handling, and twelve hours before testing the system.

25 grams

40 x 40 x 35 mm



FC3848

Repair Coupler 38>48mm**£8.87** R P

This repair coupler is suitable for pipe sizes ranging from 38mm to 48mm. It is ideal for cutting into existing drainage installations to create a service access point. The coupler connects, repairs, and maintains drainage systems and other small-diameter, non-pressure pipelines.

The couplings feature a moulded elastomeric high-quality rubber sleeve, which is secured using stainless steel jubilee clamping bands at each end. They are easy to install, providing an efficient and watertight solution.

154 grams

85 x 60 x 60 mm



WS58W

Cross Tee 40mm**£4.24** P

This solvent weld waste system complies with BS 5255 and is kitemarked to EN 1455-1. Made from ABS, it is essential that the pipe arrangement follows the direction of flow when connecting cabinet condensate drains. It is common to connect two pipes running in opposite directions; therefore, the branch tee is ideal for ensuring the correct direction of wastewater flow in the restricted space beneath cabinets. Whether connecting to a pump or a below-ground outlet, the branch tee can collect water from three directions.

100 grams

130 x 50 x 150 mm



HC025

Alligator Nylon Hose Clamps 25pk**£18.00** P

Gel-Clear brand plastic alligator-type hose clamps are designed for condensate pump discharge lines. These double-grip plastic hose clips are easy to install and offer exceptional strength due to their unique double row of interlocking toothed jaws. Made from white nylon and compliant with ROHS standards, they can operate within a temperature range of -40 to +170 degrees Celsius. The clips are easy to remove and reuse.

Available in diameters of 11-16mm, they come in a contractor-reseal pack containing 25 clips.

77 grams

220 x 130 x 25



BHD10-15

Barbed Hose Connector 15 pc Pack 1/2**£16.25** R A P

These 10mm I.D. hose connectors can be fitted quickly and easily by simply pushing the hose directly onto the connecting parts. The ribbing on the end connectors allows the hose clamp to secure a leak-free joint.

The 15-piece pack contains:

- 5 x straight connectors
 - 5 x elbow connectors
 - 5 x equal tee connectors
- All come in a resealable bag.

100 grams

20 x 120 x 220 mm



RDB1

Condensate Drain Bung 12pk**£4.80** R

Condensate drain bungs are essential cleaning aids for the deep cleaning of food retail display chillers. During the deep cleaning process, drain outlets need to be blocked to prevent food debris from being washed into the drain lines, which can cause blockages. They also create an airtight seal at the drain point when an aqua vac is used to remove condensate during the deep clean.

Available in two sizes.

200 grams

200 x 320 x 300 mm



PWC250

Solvent Weld Glue**£8.70** R A P

This solvent-based pipe cement rapidly delivers high bond strength, allowing assembled units to be handled after just 10 minutes. It is a non-drip formulation specifically designed for use with HVACR condensate drain pipes. The product comes in a 250ml bottle with an application brush in the cap.

Hazard Information:

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

EUH208: Contains ingredients that may produce an allergic reaction.

268 grams

110 x 75 x 75 mm

Don't forget to add our **award winning tablets** to help keep your drainage clear. It is the only product effective in ALL the drains, from the coil, out to the highway sewer.

see page 6

SHOP

Chemicals & Cleaning.

"The first line of defence is killing airborne bacteria on contact with the coil."

Our cleaning products are available in both concentrate and ready-to-use formats. With our Eco-Clear range, you can achieve a 100% reduction in hazardous chemicals entering the watercourse during cabinet deep cleaning!



ECRTU750



Eco-Clear Ready To Use 750ml Trigger 6pk

£37.68 

In line with Gel-Clear's focus on operational safety, Eco-Clear remains non-hazardous and user-friendly, with no associated risks or COSHH compliance requirements. Eco-Clear delivers a 100% reduction in hazardous chemicals entering the watercourse during cabinet deep cleaning!

It is also available in concentrated 100ml pouches, which can produce 8 litres of finished cleaner—ideal for contractor sprayers!

Pack of 6 | 800 grams

60 x 100 x 290 mm

ECC250



Eco-Clear Concentrate

£19.99 

Eco-Clear delivers a 100% reduction in hazardous chemicals entering the watercourse during cabinet deep cleaning! With an impressive concentration of 80:1 dilution ratio, it uses only a tenth of the packaging and plastics required by conventional products.

It is also available in 100ml pouches, which can produce 8 litres of finished cleaner—ideal for contractor sprayers!

255 grams

80 x 55 x 45 mm

AMS-750



Air-Clear Contractor 6pk

£37.68 

Air-Clear is a purpose-developed, multi-purpose sanitising cleaner designed for maintenance operations on AC units. It is the only HVAC cleaner on the market tested to medical-grade disinfection standards—BS EN 14476, EN 13727, EN 14348, and EN 14476. Independently tested, it remains effective for up to 8 weeks and is also NSF registered for use in food preparation areas. As an enveloped virus, Coronavirus is effectively targeted by Air-Clear, which is proven to be effective against all enveloped viruses.

Pack of 6

ACPI00



Air-Clear 'One Shot' 100ml Pouch

£11.99 

Air-Clear HVAC cleaner is a top choice for safely cleaning HVAC coils and pans. Now available in a highly concentrated form, it offers superior cleaning with an impressive 80:1 dilution ratio, compared to the industry average of 10:1. Each 100ml 'One Shot' pouch produces 8 litres of premium HVAC disinfectant cleaner, ideal for contractors and sprayers.

110 grams

155 x 80 x 31 mm



DCP022

Foaming Condensate Drain Cleaner**£6.75**   

Gel-Clear's powerful biocidal foaming action cleaner is the perfect alternative to harsh chemicals. It not only clears blockages but also breaks down attached biofilms. Our non-hazardous formula is safe for users and poses no environmental risks, making it the ideal choice for any workplace. Additionally, it is non-corrosive and safe to use on all soft metals commonly found in HVACR units. Food-safe and eliminating the need for extra COSHH measures, it saves you time, cost, and hassle, all in a resealable pouch.

208 grams

450 x 90 x 190 mm



ICT06

Ice Machine Disinfectant**£3.99** 

Add one tablet per litre of water to the machine's cleaning cycle. The fast-dissolving effervescent tablets provide a consistent, high level of bacteria-killing disinfectant. They are effective for general disinfecting and can be used on the ice collection bin as well as all machine surfaces. When used as a general disinfectant on the ice bin, rinse with clean water afterwards.

This product has passed the European Suspension Test BS EN 1276 and European Standard EN 13697.

35 grams

140 x 80 x 20 mm



ICC250

Ice-Clean Concentrate**£19.99** 

Ice-Clean is more than just a cleaner; it prevents microbial corrosion, enhances efficiency, and provides significant cost savings compared to ordinary alternatives. It is safe for use in food preparation areas and is NSF registered under Nonfood Compounds D2.

Ice-Clean is effective against bacteria, mould, fungi, and viruses, including Human Coronavirus, and complies with BS EN 1267 and BS EN 1650 standards.

260 grams

80 x 55 x 45 mm



EWC113

Economy AC Wash Bag**£16.78** 

The Gel-Clear Wall-Mounted Economy AC Cleaning Protector Bag is available in medium size, suitable for air conditioners with a circumference of less than 2.4m (94.5 inches). This reusable bag comes with an easy-to-store carry bag.

Made from thick, waterproof Oxford fabric with a double waterproof coating, it is soft, corrosion-resistant, and highly durable. The pull-type elastic rope helps prevent water splashing during the cleaning process.

614 grams

300 x 230 x 40 mm



CC115

Gel-Clear Cassette Cleaning Cover**£33.99** 

The Gel-Clear brand Ceiling-Mounted AC Cleaning Protector Bag in large size comes with a water pipe. It is easy to assemble and reusable, made from premium-quality materials, and includes a convenient carry bag for storage.

Product Size: 1150mm x 1150mm
Material: PVC Oxford cloth

Applicable Models:
Cassette-type ceiling-mounted air conditioners.

The dedicated external water outlet and cleaning cover are welded together, featuring a 20mm diameter water outlet. The product uses PU-grade waterproof sealing tape to prevent water leakage. The steel pipe folding design ensures that the overall packaging is easy to store and carry.

Package Includes:
AC Cleaning Protector and easy storage carry bag.

2000 grams

640 x 180 x 130 mm



SC120

Air Conditioning Cleaning Waterproof Cover

£26.23

The waterproof layer of the cleaning bag is made from high-grade jacquard fabric, combining practicality with an attractive appearance. With tightly stitched sealing strips, this cleaning cover is both durable and of high quality.

Featuring a large waterproof curtain and three smaller waterproof films, the air conditioner cleaning cover prevents splashing or splattering of wastewater onto your walls and surrounding areas during the cleaning process.

Drain Outlet: This cover is a valuable assistant for cleaning wall-mounted air conditioners. It is equipped with an external water outlet and a pipe to drain water into a bucket.

Model SC120 is suitable for: 9K to 18K units.
Size (WHL): 270mm x 270mm x 1000mm (10.62" x 10.62" x 39.37").

Compatibility: The waterproof AC cleaning cover is suitable for use in homes, offices, hotels, shops, and more.

2000 grams

640 x 180 x 130 mm



CF750

HVACR Case & Fascia Cleaner

£8.38

Gel-Clear Fascia Cleaner is a specially formulated case cleaner designed to remove nicotine, grease, and general grime from AC units, as well as food residues, blood, and grease on refrigeration units, allowing engineers to leave everything clean and tidy.

It effectively eliminates fingerprints from diffusers and casework while cleaning away nicotine, grease, blood, scuff marks, and general grime. The cleaner features a refreshing Citrus Burst fragrance.

800 grams

50 x 100 x 290 mm



ECP100

Eco-Clear 'One Shot' 100ml Pouch

£11.99

The perfect pre-cleaner for Gel-Clear tablets, Eco-Clear has been developed with contractors in mind. It is non-hazardous, environmentally friendly, and ten times more concentrated than any other cleaner on the market. By coating your evaporator coil with award-winning Gel-Clear nanotechnology, Eco-Clear kills airborne bacteria on contact and improves coil efficiency. Additionally, Eco-Clear helps reduce hazardous chemicals entering the watercourse and minimises plastic waste.

110 grams

155 x 80 x 31 mm



ECRTU5

Eco-Clear RTU 5L Refill

£27.28

In line with Gel-Clear's focus on operational safety, Eco-Clear remains non-hazardous and user-friendly, with no associated risks and no COSHH compliance requirements. Eco-Clear delivers a 100% reduction in hazardous chemicals entering the watercourse during cabinet deep cleaning! It is also available in concentrated 100ml pouches, which can produce 8 litres of finished cleaner—ideal for contractor sprayers!

5100 grams

140 x 180 x 290 mm



ACC250

Air-Clear Concentrate

£19.99

Bearing all the same qualities as the ready-to-use version, Air-Clear Concentrate is available in a highly concentrated form with an impressive 80:1 dilution ratio, compared to the market average of 10:1. Air-Clear Concentrate remains non-hazardous in its concentrated form, requiring no COSHH controls. It is also NSF registered. Trusted by professional contractors worldwide, Air-Clear is the first choice for protection, performance, and value.

255 grams

80 x 55 x 45 mm




AMS5000

Air-Clear 5L (Ready To Use)

£27.28  

Air-Clear 5-litre refill is a medical-grade multi-purpose HVAC cleaner. It is the only HVAC cleaner on the market tested to medical-grade disinfection standards—BS EN 14476, EN 13727, EN 14348, and EN 14476. Independently tested, it remains effective for up to 8 weeks and is NSF registered for food preparation areas. It has also been certified effective against SARS-CoV-2, all coronaviruses, and all enveloped viruses.

5150 grams 295 x 190 x 130 mm



CBD


Drain Guard For Cabinet Deep Cleans

£2.98 

Preventing debris from going down the drain is only part of this product's function; it also serves as a seal when cabinet drains are emptied using an aqua vac. If you've ever accidentally sucked a wet rag into a trap, you'll appreciate why this is a valuable solution.

Brightly coloured, the guard is highly visible, reducing the risk of it being left in place after cleaning. It is designed for repeated use, ensuring durability and effectiveness.

50 grams 125 x 125 x 3 mm



CDH2

Cleaning Cover Drain Hose

£4.80 

The drain hose fits most cleaning covers on the market and is 2.5 metres long, making it suitable for ceiling heights of 2 to 4 metres. The layflat hose rolls up compactly for easy storage and comes with a reusable soft plastic alligator clip.

It is compatible with the Gel-Clear CC115 cover.

0.4 kg 180 × 50 × 250 mm



AW200

HVAC Antibacterial Wipes

£5.00   

Kills 99.99% of germs in seconds
Effective against MRSA, E. coli, Norovirus, Listeria, C. diff, HIV, TB, Influenza, Salmonella, and Coronavirus
Provides a long-lasting antibacterial shield
Safe for all surfaces; effectively removes dirt and grease
Food safe and non-toxic
Tested and certified effective against SARS-CoV-2, all coronaviruses, and all enveloped viruses

850 grams 110 x 110 x 240 mm

Don't forget to **add any tools & parts** you need to install your pumps

SHOP Tools

"Tools are the partner to a Gel-Clear product"

At Gel-Clear, we aim to provide you with the complete package to help you achieve the highest standards in your work, alongside our award-winning products. We strive to make your ordering process easy, allowing you to focus on the task at hand.



GG02

Gel-Clear Blockblaster Gallo Gun

£33.69 

The GG02 Blockblaster Drain Line Cleaner is a lightweight, portable tool featuring a flexible hose, a cone-shaped tube end seal, a safety catch, and a CO2 release trigger. It is specifically designed to unblock condensate drain lines and other pipework and comes with three CO2 cartridges.

This tool allows for the instant clearing of condensate drain lines.

456 grams

210 x 120 x 65 mm



CO25

CO2 Cartridge 16g Threaded Refills x5**£9.50** 

Compatible with Gel-clear Block Blaster Gallo guns, these 16g threaded cartridges contain 100% pure pressurised food-grade CO2 in recyclable steel containers.

Manufacturer's Safety Information: Pressurised gases require proper handling due to their nature. Please ensure you read and understand the manufacturer's safety information before ordering CO2 cartridges.

Age Restriction: This product is only available for purchase by individuals aged 18 and over.

300 grams

20 x 120 x 220 mm



PS8

Contractor Pump Sprayer**£129.99**  

This pump sprayer is specifically designed for HVACR contractors. Featuring an all stainless steel pump, airline-grade hose, and trigger, it meets the high standards required by professionals. Its robust construction ensures durability and longevity. For total peace of mind, the sprayer comes with a 3-year warranty.

3950 grams

635 x 210 x 210 mm



LD250

Leak Detector Fluid**£6.30**  

Gel-clear's HVACR leak detection fluid is specially formulated to identify positive pressure leaks in HVACR pipelines and fittings. It is non-flammable, non-corrosive, and suitable for all refrigerant gases and nitrogen leaks. The micro-porous foam effectively detects even the slightest leaks.

One of the key advantages of this bubble detection method is that engineers can quickly and visually pinpoint the exact location of leaks. Safe to use in food preparation areas, the fluid is non-toxic and non-hazardous.

266 grams

72 x 60 x 60mm



VG01

Electronic Vernier Gauge**£5.75**   

The Vernier caliper eliminates the hassle of measuring outside, inside, depth, and step with precision. Made from carbon fibre, it features two sets of finely sharpened corners for subtle and nuanced measurements.

It provides readings in both inches and millimetres, with a measurement range of 0-150mm, and is CE certified. An LR44 battery is included.

57 grams

238 x 75 x 15 mm



BTB02

Gel-Clear' Bluetooth Music Headlight Beannie**£9.99**   

The hands-free headlight beannie hat for engineers is a lifesaver during dark winter nights spent searching for gas bottles in plant rooms or responding to late-night call-outs on rooftops in a force 10 gale.

It keeps your ears warm while retaining heat, and features a built-in bright rechargeable LED light that comes with a USB recharging lead, allowing you to charge it in your van. With Bluetooth connectivity, you can work and drive hands-free while enjoying music through the two built-in speakers.

130 grams

210 x 200 x 40 mm



DTD250

UV Condensate Drain Dye**£4.80**   

You can quickly identify the source of a leak using drain dye. Simply mix it with 5 litres of water in the drain pan; if the puddle doesn't turn green, you can rule out the drains.

The dye is concentrated, and one bottle can treat up to 1000 litres of water, turning it a luminous green. It is also UV sensitive, allowing even the slightest weeping from a loose connector to be detected using a UV torch (sold separately).

113 grams

160 x 35 x 35 mm



AK01

Hex Key Set**£16.00**   

Our Hex key set includes 9 colour-coded keys of varying sizes. The smallest key is 1.5mm in diameter, increasing up to 10mm. These keys feature extra length, providing greater torque for easier and more secure loosening and tightening. They come supplied in a handy foldable clip, ensuring they stay together and can be easily stored.

450 grams

300 x 100 x 25mm



ES012

8pc Electrical Screwdriver Set**£36.67**   

The Gel-clear 8-piece VDE 1000V approved insulated electrical tool set includes:

S2 magnetic screwdriver set (with POS S2 steel tips and flat head S2 steel tips)
Voltage tester
Electrical tape
Long nose pliers
Diagonal wire cutters
All tools are conveniently housed in a zip-up carry case measuring 24cm x 10cm, keeping your tools safe and organised.

794 grams

245 x 130 x 50

BUS01

Gel-Clear 'Block Buster'**£14.00** R

Ideal for removing blockages in condensate drains, this tool features a 'push-pull' movement. It is less aggressive than kinetic shock unblockers, ensuring it won't dislodge compression joints or cause dirty water splashback in food areas.

The primary cause of condensate blockages is biofilms—thick, slimy, jelly-like substances. By applying slow, even, steady pressure, this method effectively moves the mass down the drain line to the sewer, making it suitable for refrigerated food display cabinets.

400 grams

501 x 140 x 140 mm

EN01

Gel-Clear HVAC Endoscope**£89.99** R A P

A Gel-clear brand engineers' endoscope featuring a 4.3-inch HD colour screen.

Resolution: 2.0 megapixel HD (1920 x 1080P)
Cable Length: 5m hard cable
Focal Length: 4cm to 5m
Waterproof Rating: IP67
Camera Diameter: 8mm
Light Source: 8 adjustable LED lights
Battery Endurance: Approximately 3-4 hours

116grams

138 x 75 x 15 mm

TB05

Contractor Tool Bag**£49.99** R A P

The Gel-clear Contractor Tool Bag is specifically designed for refrigeration cabinet engineers. Its rugged construction features a solid bottom for enhanced durability. Completely waterproof, the carry bag can be used as both an open and closed-mouth tool bag. It comes with a 5-year Gel-clear warranty.

1200 grams

600 x 220 x 370mm

PP04

Water Pump Pliers**£19.99** R A P

Gel-clear self-locking pliers feature an anti-slip action, a narrow jaw profile, non-slip grips, and hardened jaws.

Max Jaw Opening: 43mm

Material: Hardened chrome vanadium steel jaws

Handle: Rubber ergonomic soft-grip

Locking Mechanism: Self-locking with 7 locking jaw positions.

552 grams

295 x 50 x 20 mm

VP1

Voltage Detector Pen**£4.00** R A P

The Audible Non-Touch AC Voltage Detector Tester features an LED torch light, offering a low-cost, simple, and safe method to detect the presence of AC voltage in cables, mains outlets, and more. It produces an audible beep and a flashing red light when held within 1cm of a live voltage source.

The device includes an inbuilt green status light and a switchable LED torch to conveniently illuminate tests in darker environments. It also automatically powers off when not in use, preserving battery life.

53 grams

200 x 90 x 20mm

PCO42

Pipe Cutters 42mm**£18.00** R A P

The Gel-clear PCO42 is designed for cutting cabinet condensate drain pipes with a diameter of up to 42mm. Its high-quality stainless steel blades ensure clean cuts without distorting the plastic tubing, while the ratchet system provides a fast and efficient cutting action.

The 'Quick Back' switch on the ratchet allows for easy operation. This cutter is suitable for PVC, polythene, MDP, polyethylene pipes, HEP20, plastic overflow pipes, and rubber hoses, among others.

285 grams

286 x 125 x 30mm

T45

Gel-Clear Torch 1500 Lumen LED**£19.00** R A P

The Gel-clear Torch is a high-power, 10W, super-bright LED flashlight, delivering 1500 lumens. It features a tactical-grade 'thumb' zoom, making it both waterproof and impact-resistant for durable, heavy-duty use.

USB rechargeable with a range of 500 metres, the torch boasts a high-quality aluminium alloy body with a carry handle and an IPX6 waterproof rating. It comes complete with an instruction manual, 3-year warranty card, lithium-ion battery, charging lead, and two spare O-ring seals. Backed by a no-nonsense 3-year warranty.

150 grams

170 x 37 x 37mm

MAINTENANCE IS THE KEY!

As part of the Roadmap for Refrigeration, the Carbon Trust identified cleaning and maintenance as the most significant opportunity for achieving energy savings in food retail display chillers. At Gel-Clear, we provide you with all the tools needed to keep energy consumption low.

01254 760002 | www.gel-clear.co.uk



L45

LED Task Light

£20.00   

A super bright, durable premium LED task light, complete with a hook, magnet, and stand. With a 30W output, it produces 1200 lumens, is USB rechargeable, and waterproof. It also functions as a power bank, with a USB-A output suitable for charging mobile phones and tablets (USB cable not included).

Powered by two lithium metal batteries (included).

300 249

135 x 90 x 35mm



T06

Ratchet Wrench Socket Set

£19.00  

The ratchet spanner set is designed to reduce arm fatigue, featuring a forward and reverse ratchet mechanism for increased speed, efficiency, and ease of use. It is hardened and chrome-plated for corrosion protection, making it ideal for use in confined spaces. The set is compatible with 19mm to 14mm spanners, and includes converting sockets for 8mm, 10mm, 12mm, 13mm, and 17mm sizes.

Supplied with a 2-year warranty.

300 grams

220 x 90 x 25mm



PPC03

Plastic Pipe Cutter

£22.99   

Delivers a premium cut with no pipe deformation, ensuring a 90° leak-free abutment. This single-sized plastic pipe cutter fits all sizes up to standard 1½" plastic waste pipes, including both solvent-weld and push-fit types. It is designed to accommodate the slight variations in internal and external diameters across different manufacturers.

The cutter features an interchangeable stainless steel blade with a locking guard to protect both the blade and your fingers when not in use. Supplied with a pre-fitted blade and a pack of 3 spare blades.

100 grams

185 x 85 x 45mm



KP17

Premium Knee Pads

£24.00  

Knee Pads are heavy-duty, professional-grade knee protectors. They feature a hard shell exterior with a rubber grip pad, and a gel foam interior for comfort during extended use.

The neoprene straps ensure a comfortable fit, secured with Velcro, and are designed to sit high above the knee to prevent sagging.

628 grams



310 x 190 x 115mm



Now you've found the products you need to maintain your HVACR give us a call to place your order.


CALL US ON

01254 760002



Order Notes:

ENGINEER ONCALL



P : 01254 760002

w : www.gel-clear.co.uk

145 Bolton Rd
Darwen, Lancashire, UK, BB3 1DF